



MSA 160 C-B Skin Only

For Bigger Cutting Tasks and Professional Use



Very handy and low-noise battery chain saw when coupled with a powerful 36V lithiumion battery. Ideal for noise sensitive areas and inside buildings

Technical Details	
Weight without battery kg	2.7
Cutting length "	12
Cutting length cm	30
STIHL Oilomatic saw chain pitch/type	Picco Micro 3 (PM3)
Sound pressure level dB(A)	84
Sound power level dB(A) $^{\rm 2)}$	95
Vibration value, left m/s ^{2 3)}	2.7
Vibration value, right m/s ^{2 3)}	2.9
Saw chain pitch	1/4 " P
Battery life AP 100 min ⁴⁾	up to 18
Oil tank volume cm 3	209
Rated voltage V	36

 $^{1)}$ K-factor according to DIR 2006/42/EC = 2.5 (dB (A)) $^{2)}$ K-factor according to DIR 2006/42/EC = 2.5 dB (A)

³⁾ K-factor according to DIR 2006/42/EC = 2m / s²

⁴⁾ Battery life times are approximate and may vary depending on application

Features

Standard

Operating handle

The black soft component on the rear control handle ensures a secure and firm grip under all working positions. The shift lever has to be unlocked via the lateral lock button

EC motor

The STIHL EC motor is extremely energy efficient, lightweight and compact. It runs quietly and generates very low vibrations, which ensures you and your machine can work comfortably for prolonged periods of time.

STIHL Ematic system

The STIHL Ematic system consists of Ematic guide bar, chain and Oilomaticchain and reduced flow rate oil pump. The special design of the bar and chain causes every drop of chain oil gets to where it is needed for lubrication. Oil consumption can be reduced by up to 50%.

STIHL quick chain tensioning

The STIHL chain quick clamping system makes tensioning the chain easier. After loosening the screw of the sprocket, cover the chain with the overlying control wheel, which allows quick and easy clamping. A tool is not required for this.

QuickStop super function

Additional braking system for more safety - exclusively by STIHL. The chain does not stop only at kickback is sufficiently strong or active actuation of the front hand guard, but also when you release the rear handle. The overrun of the chain is stopped within seconds and protects the user.

Product

RRP

Battery Chainsaw - MSA 160 C-B -30cm/12" - Skin Only

\$499.00 (incl. GST)

v

v

PLEASE NOTE: Reserving STIHL Products

These products can be reserved online with no obligation and picked up at your local STIHL Dealer. As your satisfaction is of particular importance to us, we provide you with extensive in-store personal instruction including safe handling plus professional advice and service to ensure you get the most out of your STIHL purchase. * Sale price and availability may vary from store to store.

Tool-free oil tank cap

The transparent oil tank and the tools operated oil tank cap the oil level can be easily and conveniently check.

Two-hand operation

The ergonomically shaped handle tube and the comfortable rear control handle with soft components allow a pleasant, forces gentle and safe work in all positions.

v

Accessories



Battery Charger - AL 300 - Quick Quick charger for STIHL Lithium-ion batteries. With operating mode indicator and integral air cooling. The AL 300 quick charger takes 75 minutes for 100% charge of AP 300 battery. Rated voltage: 240 V.

\$169.00

Contact Us for Price and Availability



Battery Charger - AL 500 - Super Quick

With the increase in battery capacities the new AL 500 Super Charger enables extremely rapid charging to minimise down time and allow increased productivity. Charging the AP 300 to 100% in 35 minutes and the AR 3000 backpack battery to 100% in 160 minutes the AL 500 Super Charger is aimed at the professional landscapers using the STIHL battery range. The reduced charge times make the STIHL battery power system even more desirable and allows all day working in the professional area.

\$249.00

Contact Us for Price and Availability



Battery Accessory - Battery Storage Box - Large

Keeping your AP (handheld) or AR (backpack) batteries and charger safe, secure and easy to transport is now possible thanks to the 2 new battery boxes. Intelligent design that stacks with all other L-boxx systems and accessories.

\$110.00

Contact Us for Price and Availability



Oil - Chain & Bar - SynthPlus - 1L

Do you question which lubricant is suitable for which cutting attachment, climate zone or type of wood? No need to puzzle over the answers with semi-synthetic STIHL chain lubricant. Our high-performance lubricant is extremely suitable for all moving saw chains. Well protected. STIHL chain lubricant effectively protects saw chains from wear. Thanks to its high temperature resistance, cutting attachments are optimally protected even from shortduration maximum thermal loads. Smoking is inhibited. Keeps on flowing. Even at temperatures down to -20° C, STIHL chain lubricant retains its outstanding flow properties. Selected additives prevent resinification of the cutting attachment and other treated parts. And you can start using the saw straight away, even after an extended idle period.

\$12.00

Contact Us for Price and Availability



Battery Accessory - Pouch

Additional bag for attaching to the battery belt. Can be used to carry more batteries or other accessories such as sunglasses, gloves and resin remover spray.

\$38.00

Contact Us for Price and Availability



Oil - Chain & Bar - BioPlus - 1L

Particularly eco-friendly with outstanding lubrication and adhesive properties. STIHL BioPlus is derived from plants and completely decomposes in the ground within a short space of time (tested according to OECD 301 B). It has been awarded the German 'Blue Angel' ecology mark and the European Eco-Label.

\$12.00

Contact Us for Price and Availability



Safety Glasses - Vision - Clear

Very light glasses with a sporty design. Large lenses with 100% UV protection. Scratch-resistant exterior and interior. Certified to AS/NZS 1337.1

\$13.00 Contact Us for Price and Availability



Battery - AP 200 Compatible with the STIHL battery power system. Very powerful 36V lithium-ion batteries with charge level indicator (four LEDs). Available with different energy capacities. 151 Wh battery energy, 1.3 kg.

\$239.00 Contact Us for Price and Availability



Battery - AP 300

Compatible with the STIHL battery power system. Very powerful 36V lithium-ion batteries with charge level indicator (four LEDs). Available with different energy capacities. 227 Wh battery energy, weight 1,7 kg.

\$269.00

Contact Us for Price and Availability



2-in-1 file holder, 1/4" P, ø 3.2 mm This practical file holder includes round and flat files to ensure an easy change of files.

\$65.00 Contact Us for Price and Availability



Oil - Chain & Bar - ForestPlus - 1L Based on high-quality mineral oils. Reliable lubrication, no or resinification, even during prolonged downtimes.

\$11.00 Contact Us for Price and Availability



Battery - AP 300 S Very powerful 36V lithium-ion batteries with charge level indicator (four LEDs). 281 Wh battery power.

\$319.00 Contact Us for Price and Availability

STIHL

1/4" .043 - 30CM/12" - ROLLOMATIC MINI The combination of these very narrow

"Picco Micro Mini Comfort 3, or especially suitable for the cordless chain saw 1/4" Picco Micro 3 brings a considerable weight reduction with increased cutting capacity. Like all STIHL guide rails is also this design of high quality chrome molybdenum steel. Available in 30 cm.

\$60.00 Contact Us for Price and Availability

1/4" P Picco Micro 3 (PM3), 1,1 mm, 30 cm

Kickback, low-vibration chain specifically for light and compact saws. It combines cutting performance with high cutting quality and high working comfort. This is made possible by its flat and slim design in combination with the small chain pitch.

\$45.00

Contact Us for Price and Availability



FUNCTION Basic Helmet Set

A lightweight entry-level model with a large nylon visor. Elastic visor weatherseal on the helmet peak to protect against dirt. Ear defenders in a slim design with good noise protection. Ventilation openings in the top area of the crest. A brim as an anti-dazzle peak. Pin lock cap for straightforward headband adjustment. Conforms to EN 352, EN 397, and EN 1731.

\$80.00

Contact Us for Price and Availability