

MSA 161 T Skin Only

Handy battery chainsaw for professional tree maintenance









Very lightweight, professional 36V battery arborist saw for use in noise-sensitive areas. Thanks to its powerful engine and a chain speed of 16 m/s (40% higher than its predecessor the MSA 160 T), the MSA 161 T also accelerates very rapidly and delivers fine, extremely precise cutting. The saw comes with a high-quality 1/4" P cutting attachment and captive nut on the sprocket cover as standard.

Technical Details Cutting length " 12 Cutting length cm 30 Bar Length cm 1) 30 Rated voltage V 36 Weight without battery kg 2.1 Sound pressure level dB(A) 83 Sound power level dB(A) 3) 94 Vibration value, left m/s ² ⁴⁾ 2.1 Vibration value, right m/s ^{2 4)} 2.2 Saw chain pitch 1/4"P Battery life AP 100 min 5) up to 18 Oil tank volume cm 3 105 1) Metric measure

- ²⁾ K-factor according to DIR 2006/42/EC = 2.5 (dB (A))

- 3) K-factor according to DIR 2006/42/EC = 2.5 dB (A)

 4) K-factor according to DIR 2006/42/EC = 2m / s ²

 5) Battery life times are approximate and may vary depending on application

Features

Standard

The tensioning screw can be found on the side of the chain saw through the sprocket cover. This removes the need for contact with the sharp saw chain.

QuickStop super function

Additional braking system for more safety - exclusively by STIHL. The chain does not stop only at kickback is sufficiently strong or active actuation of the front hand guard, but also when you release the rear handle. The overrun of the chain is stopped within seconds and protects the user.

Tool-free oil tank cap

The transparent oil tank and the tools operated oil tank cap the oil level can be easily and conveniently check.

EC motor

The STIHL EC motor is extremely energy efficient, lightweight and compact. It runs quietly and generates very low vibrations, which ensures you and your machine can work comfortably for prolonged periods of time.

Battery Chainsaw - MSA 161 T - 30cm / 12" - Skin Only

Product

RRP

\$799.00 (incl. GST)

Brake lever with improved catch

Ensures clear tactile feedback at chain brake attachment or removal.

Accessories



Oil - Chain & Bar - SynthPlus - 1L

Do you question which lubricant is suitable for which cutting attachment, climate zone or type of wood? No need to puzzle over the answers with semisynthetic STIHL chain lubricant. Our high-performance lubricant is extremely suitable for all moving saw chains. Well protected. STIHL chain lubricant effectively protects saw chains from wear. Thanks to its high temperature resistance, cutting attachments are optimally protected even from short-duration maximum thermal loads. Smoking is inhibited. Keeps on flowing. Even at temperatures down to -20° C, STIHL chain lubricant retains its outstanding flow properties. Selected additives prevent resinification of the cutting attachment and other treated parts. And you can start using the saw straight away, even after an extended idle period.

\$12.00

Contact Us for Price and Availability



Oil - Chain & Bar - BioPlus - 1L

Particularly eco-friendly with outstanding lubrication and adhesive properties. STIHL BioPlus is derived from plants and completely decomposes in the ground within a short space of time (tested according to OECD 301 B). It has been awarded the German 'Blue Angel' ecology mark and the European Eco-Label.

\$12.00

Contact Us for Price and Availability



Safety Glasses - Vision - Clear

Very light glasses with a sporty design. Large lenses with 100% UV protection. Scratch-resistant exterior and interior. Certified to AS/NZS 1337.1

\$13.00

Contact Us for Price and Availability



2-in-1 file holder, 1/4" P, ø 3.2 mm

This practical file holder includes round and flat files to ensure an easy change of files



Oil - Chain & Bar - ForestPlus - 1L

Based on high-quality mineral oils. Reliable lubrication, no or resinification, even during prolonged downtimes.

\$11.00

Contact Us for Price and Availability



ADVANCE X-Vent Helmet

Low weight helmet set with optimized balance. Ear caps in slim design. Easy head size adjustment by ratched wheel even whilst wearing. Ventilation wholes spread over the entire shell. Metal visor: Spring steel mesh, very high light penetration. Light transmittance: 75-80%. Elastic visor sealing nlong the helmet against dirt and rain. Reflective Stickers all round. Ear protect: EN 352, EN 397, EN 1731.

\$165.00

Contact Us for Price and Availability